## **U. S. Coast Guard Equipment List**

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

### **160.027** Life Floats

BILLY PUGH CO INC	D O BOY 903	CORPUS CHRISTI TX 78403
BILLY PUGH CO INC	P U BUX 8UZ	CORPUS CHRISTI 1X /8403

160.027/0083/3 APPROVED	Model LF 12, 72.50" x 44.00" (8.50" x 10.875" body section), 12-person	capacity, urethane core, fiberglass
160.027/0084/3 APPROVED	90.00" x 48.00" (10.00" x 11.50" body section) Model LF 15 lifefloat, 15	person capacity, urethane core, fibro
160.027/0085/3 APPROVED	Model LF 25, 108.00" x 61.00" (12.75" x 11.75" body section), 25-person	capacity, urethane core, fiberglass

#### CAL-JUNE CORPORATION PO BOX 9551 NORTH HOLLYWOOD CA 91609

160.027/0075/2	APPROVED	128cm x 93cm x 22cm (50 1/2" x 36 1/2" x 8 1/2") life float 8-person	capacity, rectangular type, Model A S
160.027/0076/2	APPROVED	160cm x 94cm x 23cm (63" x 37" x 9") life float, 10-person capacity,	rectangular type, Model A Series.
160.027/0077/2	APPROVED	163cm x 122cm x 32cm (64" x 48" x 12 1/2") life float, 15-person capacity,	rectangular type, Model A Series.
160.027/0078/2	APPROVED	254cm x 122cm x 32cm (100" x 48" x 12 1/2") life float, 22-person capacity	, rectangular type, Model A Series.
160.027/0079/2	APPROVED	128cm x 93cm x 22cm x (50 1/2" x 36 1/2" x 8 1/2") 6-person capacity,	rectangular type, Model A Series.
160.027/0080/2	APPROVED	198cm x 94cm x 23cm (78" x 37" x 9") life float, 12-person capacity,	rectangular type, Model A Series.

#### LIFESAVING EQUIPMENT REPAIR CO 200 GRIZZAFFI ST P O BOX 2725 MORGAN CITY LA 70381

160.027/0086/0 APPROVED	Roe Float, 6-person capacity, 1250 mm x 900 mm x 250 mm (49 1/2" x 36" x	10"), polyurethane core, fibrous
160.027/0087/0 APPROVED	Roe Float, 12-person capacity, 1880 mm x 1120 mm x 250 mm (74"x 44" x 10"),	polyurethane core, fibrous gla

#### PLASTI-KRAFT CORPORATION OZONA INDUSTRIAL PARK OZONA FL 33560

160.027/0043/1 APPROVED 7.5' x 4.67' (13.5" x 12.5" body section) rectangular life float, 25-person capacity.

#### ALEPH PLASTICS 2386 WOOD STREET COLUMBUS OH 43221

160.027/0081/0 FORMER-MAY USE 111" x 64" x 12" life float, 25-person capacity, urethane core, fibrous gla ss reinforce plastic.

#### AMERICAN PAD AND TEXTILE CO GREENFIELD OH 45123

160.027/0016/1	FORMER-MAY USE	15-person (Balsa).
160.027/0018/0	FORMER-MAY USE	7.0' x 3.17' (9" x 9" body section) Rectangular Solid Balsa Wood, 10-person capacity.
160.027/0019/0	FORMER-MAY USE	9.0' x 5.08' (12" x 12" body section) Rectangular Solid Balsa Wood, 25-pers on capacity.
160.027/0021/0	FORMER-MAY USE	7.5' x 4.0' (11" x 11" body section) Elliptical Solid Balsa Wood, 15-person capacity.
160.027/0055/1	FORMER-MAY USE	4.17' x 3.0' (8" x 8" body section), FRP shell with unicellular plastic foa m core, 6-person capacity.
160.027/0056/1	FORMER-MAY USE	6.17' x 3.67' (9" x 9" body section), FRP shell with unicellular section), foam core, 11-person capacity.

## ATLANTIC PACIFIC MFG CORP 200 MOUNT PLEASANT AVE NEWARK NJ 07104

160.027/0001/0 FORMER-MAY USE 7.0' x 3.5' (10" x 10" body section), elliptical balsa wood, 10-person capa city.	
160.027/0002/0 FORMER-MAY USE 8.5' x 4.0' (11" x 11" body section), Elliptical balsa wood, 15-person capa city.	
160.027/0003/0 FORMER-MAY USE 10.0' x 5.5' (12" x 12" body section), elliptical balsa wood, 25- person c apacity.	
160.027/0004/0 FORMER-MAY USE 11.5' x 7.0' (14" x 14" body section), elliptical balsa wood, 40-person cap acity.	
160.027/0005/1 FORMER-MAY USE 7.0' x 3.17' (9" x 9" body section), Rectangular Balsa Wood, 10-person capa city.	
160.027/0006/1 FORMER-MAY USE 7.5' x 4.0' (11" x 11" body section), Rectangular Balsa Wood, 15-person cap acity.	
160.027/0007/1 FORMER-MAY USE 9.0' x 5.08' (12" x 12" body section), Rectangular Balsa Wood, 25-person ca pacity.	
160.027/0008/1 FORMER-MAY USE 10.67' x 6.17' (13" x 13" body section), Rectangular Balsa Wood, 40-person capacity.	
160.027/0009/1 FORMER-MAY USE 12.0' x 7.58' (15" x 15" body section), Re ctangular Balsa Wood, 60-person capacity.	
160.027/0060/3 FORMER-MAY USE 5.0' x 2.67' (7 1/2" x 10" body section), peripheral body FRP shell with un icellular polyurethane core, 6-person	
160.027/0061/4 FORMER-MAY USE 21nov843.16' (9" x 11 1/4" body section), rectangular FRP shell with unicel lular polyurethane core, 6 person c	

Page 65 of 395 Note: Based on data as of March 1, 1998

# **U. S. Coast Guard Equipment List**

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.027/0062/3 FORMER-MAY USE	7.5' x 4.0' (10.5" x 10.0" body section), rectangular FRP shell with unicel lular polyurethane core, 15 person ca
160.027/0063/3 FORMER-MAY USE	9.0' x 5.1' (12 1/2" body section), rectangular FRP shell with unicellular polyurethane core, 25 person capacity
160.027/0070/3 FORMER-MAY USE	7.0' x 3.16' (9" x 11 1/4" body section), rectangular FRP shell with unicel lular polyurethane core, 12 person ca
160.027/0071/3 FORMER-MAY USE	7.0' x 3.16' (9" x 11 1/4" body section), rectangular FRP shell with unicel lular polyurethane core, 11 person ca
160.027/0073/0 FORMER-MAY USE	6.16' x 3.66' (6" x 9" body section), peripheral-body FRP shell with unicel  lular polyurethane core, 12 person ca
160.027/0074/0 FORMER-MAY USE	4.16' x 3.0' (8" x 8" body section), peripheral-body FRP shell with unicell ular polyurethane core, 6 person capa
BILLY PUGH CO INC P O BOX 802	2 CORPUS CHRISTI TX 78403
160.027/0082/3 FORMER-MAY USE	49.50" x 35.75" (8.0" x 9.75" body section) Model LF 6 lifefloat, 6 person capacity, urethane core, fibrous glas
C C GALBRAITH & SON, INC PO E	3OX 185 KEYPORT NJ 07735
160.027/0010/1 FORMER-MAY USE	7.0' x 3.5' (10" x 10" body section), Elliptical Balsa Wood, 10-person ca pacity.
160.027/0011/1 FORMER-MAY USE	8.5' x 4.0' (11" x 11" body section), Elliptical Balsa Wood, 20-person capa city.
160.027/0012/1 FORMER-MAY USE	9.0' x 5.5' (12" x 12" body section), Elliptical Balsa Wood, 20-person capa city.
160.027/0013/1 FORMER-MAY USE	10.0' x 5.5' (12" x 12" body section), Elliptical Balsa Wood, 20-person cap acity.
160.027/0014/1 FORMER-MAY USE	11.5' x 7.0' (14" x 14" body section), Elliptical Balsa Wood, 40-person cap acity.
160.027/0015/1 FORMER-MAY USE	13.0' x 8.5' (16" x 16" body section), Elliptical Balsa Wood, 60-person cap acity.
PLASTI-KRAFT CORPORATION O	ZONA INDUSTRIAL PARK OZONA FL 33560
160.027/0040/9 FORMER-MAY USE	4.17' x 3.0' (8" x 8 1/2" body section) rectangular life float, 6-person ca pacity.
1600.270/0411/0 FORMER-MAY USE	6.17' x 3.67' (10" x 9" body section) rectangular life float, 12-person cap acity.
PLOTT MANUFACTURING INC. 17	21 WHITE HORSE RD GREENVILLE SC 29605
160.027/0067/2 FORMER-MAY USE	4.17' x 3.0' (8" x 8 1/2" body sec.), FRP rectangular neoprene latex shell w/ unicellular plastic foam core, 6-pe
160.027/0068/2 FORMER-MAY USE	6.17' x 3.67' (10" x 9 1/4" body sec.), FRP rectangular neoprene latex shel I w/ unicellular plastic foam core, 12
SALERCO, INC C/O PAN AIR COR	PORATION PO BOX 26425 NEW ORLEANS LA 70126
160.027/0069/0 FORMER-MAY USE	7.0 x 9.0 x 4 rectangular, laminated fabric-covered.
SCHAT-MARINE SAFETY CORPORA	TION P. O. BOX 465 FOOT OF INDUSTRIAL RD. FARMINGDALE NJ 07727
160.027/0048/2 FORMER-MAY USE	6.17' x 4 .7' (11" x 10 1/4" body section), 15-person capacity.
160.027/0053/0 FORMER-MAY USE	5.0' x 3.83' (9" x 9" body section), 10-person capacity.
SUNDE & D'EVERS CO COLEMAN	N FERRY TERMINAL SEATTLE WA 98104
160.027/0046/0 FORMER-MAY USE	5.17' x 3.0' (8" x 8" body section), FRP shell with unicellular plastic foa m core, 6-person.
WELIN BOAT AND DAVIT DIVISION	LAKE SHORE, INC IRON MOUNTAIN MI 49801
160.027/0027/0 FORMER-MAY USE	9.0' x 5.08' (13" x dia-body section) rectangular hollow aluminum, 25-pers on capacity.
400 007/0004/0 FORMER-MAYUSE	O Clus F 001 (40 as dispersion had a caption) proton as large allow also recover on the cluster of the control of the caption

160.027/0027/0	TORMER-MAT USE	9.0 x 5.08 (13° x dia-body section) rectangular nollow aluminum, 25-pers	on capacity.
160.027/0034/0	FORMER-MAY USE	$9.0^{\circ}x5.08^{\circ}$ (13 x diameter body section) rectangular hollow aluminum, 25-p	erson capacity.
160.027/0036/0	FORMER-MAY USE	$7.67^{\prime}$ x $4.17^{\prime}$ (12" dia. body section) rectangular hollow aluminum, 15-perso	n capacity.
160.027/0039/1	FORMER-MAY USE	6.0' x 2.83' (8 1/2" x 8 1/2" body section), aluminum shell with unicellul $\;$ at	plastic foam core, 7-person capacity
160.027/0047/1	FORMER-MAY USE	7.5' x 4.0' (10 1/2" x 10 1/2" body section), aluminum shell with unicellul $\;$ a	r plastic foam core, 15-person capaci
160.027/0049/1	FORMER-MAY USE	9.0' x 5.0' (10 1/2" x 10 1/2" body section), aluminum shell with unicellul $\;$ a	r plastic foam core, 22-person capaci
160.027/0054/0	FORMER-MAY USE	9.75' x 6.25' (10 1/2" x 10 1/2" body section), aluminum shell with unicell	ular plastic foam core, 25-person cap
160.027/0057/0	FORMER-MAY USE	9.75' x 6.25' (10" x 12" body section) FRP shell with unicellular polyureth	ane foam core, 25-person capacity.
160.027/0058/0	FORMER-MAY USE	12.0" 7.58' (15 1/4" x 15" body section) FRP shell with unicellular plastic	foam core, 60-person capacity.

Page 66 of 395 Note: Based on data as of March 1, 1998

## **U. S. Coast Guard Equipment List**

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

## WINNER MANUFACTURING CO, INC TRENTON NJ 08601

160.027/0022/0	FORMER-MAY USE	7.0' x 3.17' (9" x 9" body section) rectan gular balsa wood, 10-person.
160.027/0023/0	FORMER-MAY USE	7.5' x 4.0' (11" x 11" body section) rectangular balsa wood, 15-person.
160.027/0024/0	FORMER-MAY USE	9.0 x 5.08' (12" x 12" body section) rectangular balsa wood, 25-person.
160.027/0025/0	FORMER-MAY USE	$10.67^{\circ}$ x $6.17^{\circ}$ (13" x 13" body section) rectangular balsa wood, 40-person.
160.027/0026/0	FORMER-MAY USE	12.0' x 7.58' (15" x 15" body section) rectangular balsa wood 60-person.

Page 67 of 395 Note: Based on data as of March 1, 1998